

Variables prédéfinies dans BASH

```
BASH
BASHOPTS
BASHPID
BASH_ALIASES
BASH_ARGC
BASH_ARGV
BASH_ARGV0
BASH_CMDS
BASH_COMMAND
BASH_COMPAT
BASH_ENV
BASH_EXECUTION_STRING
BASH_LOADABLES_PATH
BASH_LINENO
BASH_REMATCH
BASH_SOURCE
BASH_SUBSHELL
BASH_VERSINFO
BASH_VERSION
BASH_XTRACEFD
CHILD_MAX
COLUMNS
COMP_LINE
COMP_CWORD
COMP_POINT
COMP_TYPE
COMP_KEY
COMP_WORDBREAKS
COMP_WORDS
COMP_REPLY
COPROC
DIRSTACK
EMACS
ENV
EPOCHREALTIME
EPOCHSECONDS
EUID
EXECIGNORE
FCEDIT
FIGIGNORE
FUNCNAME
GLOBIGNORE
GROUPS
histchars
HISTCMD
HISTCONTROL
HISTFILE
```

HISTFILESIZE
HISTIGNORE
HISTSIZE
HISTTIMEFORMAT
HOSTFILE
HOSTNAME
HOSTTYPE
IGNOREEOF
INPUTRC
INSIDE_EMACS
LANG
LC_ALL
LC_COLLATE
LC_CTYPE
LC_MESSAGES
LC_NUMERIC
LC_TIME
LINENO
LINES
MACHTYPE
MAILCHECK
MAPFILE
OLDPWD
OPTERR
OSTYPE
PIPESTATUS
POSIXLY_CORRECT
PPID
PROMPT_COMMAND
PROMPT_DIRTRIM
PS0
PS3
PS4
PWD
RANDOM
READLINE_LINE
READLINE_POINT
REPLY
SECONDS
SHELL
SHELLOPTS
SHLVL
TIMEFORMAT
TMOUT
TMPDIR
UID

Références

- https://www.gnu.org/software/bash/manual/html_node/Bash-Variables.html

From:

<https://www.abonnel.fr/> - **notes informatique & technologie**

Permanent link:

<https://www.abonnel.fr/informatique/bash/liste-variables-bash>

Last update: **2020/12/26 19:35**

